




FDA Cable Entry Solutions

THE FRONTLINE OF INNOVATION



Designed for your industry



A global leader in polymer engineering, Trelleborg Cable Entry Solutions specializes in the protection of cables to the world's most important equipment and infrastructure. Calling on over 100 years of experience, we deliver off-the-shelf products and bespoke solutions which add value to your operations. Found in everything from stationary and mobile installations through to machine tools and processing equipment, all our solutions are modeled, tested and certified to perform in the most demanding environments. Our reputation rests on our ability to deliver compliant and pioneering solutions which enhance equipment while reducing downtime, maintenance and long-term cost of ownership.

Welcome to the frontline of innovation. Welcome to Trelleborg.



CONTENTS

<u>CABLE ENTRY PLATES FL21</u>	<u>6</u>
<u>CABLE ENTRY PLATES B10, B16, B24</u>	<u>7 – 12</u>
<u>CABLE GROMMETS T-VET</u>	<u>13</u>
<u>CABLE GROMMETS T-GET</u>	<u>14</u>
<u>CABLE ENTRY PLATES M-GD</u>	<u>15 – 22</u>
<u>PRODUCT CONFIGURATOR</u>	<u>23</u>



FDA Cable Entry Solutions

The Trelleborg FDA Cable Entry offer a wide range of cable through solutions for the food and beverage industry, from Singlegate grommets for higher IP protection up to IP67 to a wide choice of cable entry plates with various grades of protection up to IP66. The membrane hygienic design allows unterminated cables and hoses to be easily routed into control cabinets, electric panels and machine applications and offer a strong alternative to stainless steel cable glands.

Advantages:

- Product range in FDA and EU (10)/2011 compliant materials
- Clean design for hygienic applications
- Wide range of products and cable diameters
- Possibility to develop customized solutions



Create your own configuration
Scan QR code




IP65
EN 60529




RoHS
Compliant




Cable Entry Plates for FL21 cut-out

MC3 FDA		Art. No.	Description	Box size	Packing
	Material: TPE FDA and (EU) 10/2011 compliant	108789	MC3 FDA	100	Bulk
	Dimensions: 214 x 82 x 40mm				
	Degree of protection: IP65				
	Installation range (Ø): 4 x 8mm - 12mm (IP54) 2 x 24mm - 54mm 1 x 30mm - 60mm Total of 7 cables				

MC25 FDA		Art. No.	Description	Box size	Packing
	Material: TPE FDA and (EU) 10/2011 compliant	108790	MC 25 FDA	100	Bulk
	Dimensions: 216 x 84 x 27mm				
	Degree of protection: IP65				
	Installation range (Ø): 4 x 5mm - 7mm 4 x 8mm - 12mm 12 x 10mm - 14mm 4 x 14mm - 22mm 1 x 20mm - 26mm Total of 25 cables				


MC35 FDA		Art. No.	Description	Box size	Packing
	Material: TPE FDA and (EU) 10/2011 compliant	108791	MC35 FDA	100	Bulk
	Dimensions: 216 x 84 x 31mm				
	Degree of protection: IP65				
	Installation range (Ø): 2 x 6mm - 10mm 14 x 7mm - 12mm 16 x 10mm - 14mm 2 x 12mm - 18mm 1 x 17mm - 32mm Total of 35 cables				





Cable Entry Plates for B10 cut-out

MH-10 F 12-1 FDA	Art. No.	Description	Box size	Packing
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 107 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 5 x 3mm - 7mm 4 x 5mm - 10mm 2 x 7mm - 13mm 1 x 9mm - 16mm Total of 12 cables		
	108792	MH-10 F 12-1 FDA	100	Bulk


Cable Entry Plates for B16 cut-out

MH-16 F 17-1 FDA	Art. No.	Description	Box size	Packing
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 127 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 12 x 3mm - 7mm 5 x 7mm - 13mm Total of 17 cables		
	108793	MH-16 F 17-1 FDA	100	Bulk



Cable Entry Plates for B24 cut-out

MH-24 F 17-2 FDA	Art. No.	Description	Box size	Packing
------------------	----------	-------------	----------	---------



Material: TPE
FDA and (EU) 10/2011
compliant

Dimensions:
154 x 56 x 19mm

Degree of protection:
IP66

Installation range (Ø):
6 x 3mm - 7mm
6 x 5mm - 10mm
5 x 9mm - 16mm
Total of 17 cables


108794

MH-24 F 17-2 FDA

100

Bulk

MH-24 F 17-3 FDA	Art. No.	Description	Box size	Packing
------------------	----------	-------------	----------	---------



Material: TPE
FDA and (EU) 10/2011
compliant

Dimensions:
154 x 56 x 19mm

Degree of protection:
IP66

Installation range (Ø):
4 x 3mm - 7mm
12 x 7mm - 12mm
1 x 10mm - 20mm
Total of 17 cables


108795

MH-24 F 17-3 FDA

100

Bulk

MH-24 F 19-1 FDA	Art. No.	Description	Box size	Packing
------------------	----------	-------------	----------	---------



Material: TPE
FDA and (EU) 10/2011
compliant

Dimensions:
154 x 56 x 19mm

Degree of protection:
IP66



Installation range (Ø):
5 x 1,5mm - 3mm
10 x 3,2mm - 6,5mm
4 x 16mm - 22mm
Total of 19 cables

108801



MH-24 F 19-1 FDA



100

Bulk





Cable Entry Plates for B24 cut-out


MH-24 F 20-1 FDA	Art. No.	Description	Box size	Packing
 Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 6 x 1,5mm - 3mm 14 x 7,2mm - 12mm Total of 20 cables	108802	MH-24 F 20-1 FDA	100	Bulk
MH-24 F 22-1 FDA	Art. No.	Description	Box size	Packing
 Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 15 x 3mm - 7mm 4 x 4,5mm - 10mm 3 x 15mm - 20mm Total of 22 cables	108796	MH-24 F 22-1 FDA	100	Bulk
MH-24 F 23-1 FDA	Art. No.	Description	Box size	Packing
 Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 4 x 1,5mm - 3mm 4 x 3,2mm - 6,3mm 10 x 4mm - 7,5mm 1 x 5,5mm - 10,5mm 1 x 8mm - 12,5mm 3 x 12mm - 16,2mm Total of 23 cables	108800	MH-24 F 23-1 FDA	100	Bulk




Cable Entry Plates for B24 cut-out


MH-24 F 23-2 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 4 x 1,5mm - 3mm 6 x 3,2mm - 6,3mm 2 x 4mm - 7,5mm 1 x 5,5mm - 10,5mm 10 x 8mm - 12,5mm Total of 23 cables	108805	MH-24 F 23-2 FDA	100	Bulk


MH-24 F 27-1 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 12 x 3mm - 7mm 10 x 4,5mm - 10mm 5 x 7mm - 13mm Total of 27 cables	108797	MH-24 F 27-1 FDA	100	Bulk


MH-24 F 30-1 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 30 x 3mm - 8mm Total of 30 cables	108798	MH-24 F 30-1 FDA	100	Bulk





Cable Entry Plates for B24 cut-out

MH-24 F 30-2 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 8 x 1,5mm - 3mm 8 x 3,2mm - 5,5mm 6 x 4mm - 7,5mm 6 x 5mm - 8,5mm 2 x 9,5mm - 14,5mm Total of 30 cables	108806	MH-24 F 30-2 FDA	100	Bulk


MH-24 F 30-3 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 6 x 1,5mm - 3mm 4 x 3,2mm - 6,3mm 14 x 4mm - 7,5mm 2 x 8mm - 12,5mm 4 x 5,5mm - 10,5mm Total of 22 cables	108807	MH-24 F 30-3 FDA	100	Bulk


MH-24 F 31-1 FDA	Art. No.	Description	Box size	Packing		
		Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 20 x 3,2mm - 6,5mm 8 x 5mm - 10,2mm 3 x 7,5mm – 12mm Total of 31 cables	108803	MH-24 F 31-1 FDA	100	Bulk



Cable Entry Plates for B24 cut-out

MH-24 F 42-1 FDA	Art. No.	Description	Box size	Packing
 Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 42 x 3,2mm - 6,5mm Total of 42 cables	108804	MH-24 F 42-1 FDA	100	Bulk


MH-24 F 125-1 FDA	Art. No.	Description	Box size	Packing
 Material: TPE FDA and (EU) 10/2011 compliant Dimensions: 154 x 56 x 19mm Degree of protection: IP66 Installation range (Ø): 123 x 1,5mm - 3mm 2 x 2,5mm - 5mm Total of 125 cables	108799	MH-24 F 125-1 FDA	100	Bulk



Cable Grommets T-VET

Dimensions

All dimensions to be used only as reference and not for quality control purposes



Advantages

- Fast and easy assembly
- Double sealing with high IP protection
- Suitable for both indoor and outdoor use
- Fit PG cut-out dimensions

Technical Specification



Material: TPE, FDA and (EU) 10/2011 compliant

Colour: blue

Degree of protection: IP67

Material service temperature (unstressed): -40°C...+90°C

Art.No.	Description	Cable diameter	Cut-out	Cut-out Ø	A	B	Plate thickness	Box size
108809	T-VET 3-5 FDA	3mm - 5mm	PG7	Ø13mm	20	20	1mm - 4mm	1800
108810	T-VET 5-7 FDA	5mm - 7mm	PG9	Ø16mm	20	22	1mm - 4mm	1500
108811	T-VET 7-10 FDA	7mm - 10mm	PG11	Ø19mm	24	24	1mm - 4mm	1200
108812	T-VET 10-14 FDA	10mm - 14mm	PG16	Ø23mm	30	27	1mm - 4mm	700
108813	T-VET 14-20 FDA	14mm - 20mm	PG21	Ø29mm	34	29	1mm - 4mm	400
108814	T-VET 20-26 FDA	20mm - 26mm	PG29	Ø38mm	46	34	1mm - 4mm	250
108815	T-VET 26-35 FDA	26mm - 35mm	PG38	Ø48mm	58	40	1mm - 4mm	120




Cable Grommets T-GET



Dimensions

All dimensions to be used only as reference and not for quality control purposes



Advantages

- Fast and easy assembly
- Double sealing with high IP protection
- Suitable for both indoor and outdoor use
- Fit PG cut-out dimensions in mm

Technical Specification

Material: TPE, FDA and (EU) 10/2011 compliant

Colour: blue

Degree of protection: IP67

Material service temperature (unstressed): -40°C...+90°C

Art.No.	Description	Cable diameter	Cut-out	Cut-out Ø	A	B	Plate thickness	Box size
108816	T-GET 3-5 FDA	3mm - 5mm	M12	Ø12.5mm	19	21	1mm - 5mm	1500
108817	T-GET 5-7 FDA	5mm - 7mm	M16	Ø16.5mm	23	22	1mm - 5mm	1500
108818	T-GET 7-10 FDA	7mm - 10mm	M20	Ø20.5mm	27	25	1mm - 5mm	1000
108819	T-GET 10-14 FDA	10mm - 14mm	M25	Ø25.5mm	32	25	1mm - 5mm	600
108820	T-GET 14-20 FDA	14mm - 20mm	M32	Ø32.5mm	39	29	1mm - 5mm	400
108821	T-GET 20-26 FDA	20mm - 26mm	M40	Ø40.5mm	46	33	1mm - 5mm	250
108822	T-GET 26-35 FDA	26mm - 35mm	M50	Ø50.5mm	57	40	1mm - 5mm	140
108823	T-GET 30-45 FDA	30mm - 45mm	M63	Ø63.5mm	69	61	1mm - 5mm	175
108824	T-GET 40-60 FDA	40mm - 60mm	M75	Ø76mm	89	79	1.2mm - 5.2mm	80

IP65
EN 60529



RoHS
Compliant

EU VO. 10/2011

FDA



Cable Entry Plates M-GD

M-GD 20-4 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 32.2 x 13mm Degree of protection: IP65 Installation range (Ø): 4 x 1mm - 5,2mm Total of 4 cables	108825	M-GD 20-4 FDA	M20	Ø20.5mm	1-4mm

M-GD 20-4.1 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 32.2 x 13mm Degree of protection: IP65 Installation range (Ø): 2 x 1mm - 8mm 2 x 1mm - 4,5mm Total of 4 cables	108826	M-GD 20-4.1 FDA	M20	Ø20.5mm	1-4mm

M-GD 20-5 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 32.2 x 13mm Degree of protection: IP65 Installation range (Ø): 1 x 1mm - 10,6mm 2 x 1mm - 4,6mm 2 x 1mm - 3,6mm Total of 5 cables	108827	M-GD 20-5 FDA	M20	Ø20.5mm	1-4mm



IP65
EN 60529



RoHS
Compliant



Cable Entry Plates M-GD

M-GD 20-9 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 32.2 x 13mm Degree of protection: IP65 Installation range (Ø): 5 x 1mm - 4,6mm 4 x 1mm - 3,6mm Total of 9 cables	108828	M-GD 20-9 FDA	M20	Ø20.5mm	1-4mm

M-GD 25-4 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 37.2 x 13mm Degree of protection: IP65 Installation range (Ø): 4 x 1mm - 8mm Total of 4 cables	108829	M-GD 25-4 FDA	M25	Ø25.5mm	1-4mm

M-GD 25-6 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 37.2 x 13mm Degree of protection: IP65 Installation range (Ø): 4 x 1mm - 5,2 mm 2 x 1mm - 9,4 mm Total of 6 cables	108830	M-GD 25-6 FDA	M25	Ø25.5mm	1-4mm

IP65
EN 60529



RoHS
Compliant



Cable Entry Plates M-GD

M-GD 25-7 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 37.2 x 13mm Degree of protection: IP65 Installation range (Ø): 7 x 1mm - 5,2 mm Total of 7 cables	108831	M-GD 25-7 FDA	M25	Ø25.5mm	1-4mm

M-GD 32-7 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 44.2 x 13mm Degree of protection: IP65 Installation range (Ø): 7 x 1mm - 8 mm Total of 7 cables	108832	M-GD 32-7 FDA	M32	Ø32.5mm	1-4mm

M-GD 32-10 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 44.2 x 13mm Degree of protection: IP65 Installation range (Ø): 6 x 1mm - 5,2 mm 2 x 1mm - 6,4 mm 2 x 1mm - 9,4 mm Total of 10 cables	108833	M-GD 32-10 FDA	M32	Ø32.5mm	1-4mm



IP65
EN 60529



RoHS
Compliant



Cable Entry Plates M-GD

M-GD 32-10.2 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 44.2 x 13mm Degree of protection: IP65 Installation range (Ø): 10 x 1mm - 6,4 mm Total of 10 cables	108834	M-GD 32-10.2 FDA	M32	Ø32.5mm	1-4mm

M-GD 32-11 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 44.2 x 13mm Degree of protection: IP65 Installation range (Ø): 2 x 1mm - 8 mm 9 x 1mm - 5,2 mm Total of 11 cables	108835	M-GD 32-11 FDA	M32	Ø20.5mm	1-4mm

M-GD 32-13 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 44.2 x 13mm Degree of protection: IP65 Installation range (Ø): 13 x 1mm - 5,2 mm Total of 13 cables	108836	M-GD 32-13 FDA	M32	Ø32.5mm	1-4mm

IP65
EN 60529



RoHS
Compliant

EU VO. 10/2011

FDA



Cable Entry Plates M-GD

M-GD 40-9 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 52.2 x 13mm Degree of protection: IP65 Installation range (Ø): 8 x 1mm - 9,5mm 1 x 1mm - 11,3mm Total of 9 cables	108837	M-GD 40-9 FDA	M40	Ø40.5mm	1-4mm

M-GD 40-16 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 52.2 x 13mm Degree of protection: IP65 Installation range (Ø): 2 x 1mm - 5,3 mm 10 x 1mm - 6,3 mm 2 x 1mm - 9,5 mm 2 x 1mm - 11,3 mm Total of 16 cables	108838	M-GD 40-16 FDA	M40	Ø40.5mm	1-4mm

M-GD 40-17 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 52.2 x 13mm Degree of protection: IP65 Installation range (Ø): 1 x 1mm - 4 mm 16 x 1mm - 7,2 mm Total of 17 cables	108839	M-GD 40-17 FDA	M40	Ø40.5mm	1-4mm



IP65
EN 60529



RoHS
Compliant



Cable Entry Plates M-GD

M-GD 50-9 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 5 x 1mm - 7 mm 4 x 1mm - 18 mm Total of 9 cables	108840	M-GD 50-9 FDA	M50	Ø50.5mm	1-4mm

M-GD 50-11 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 7 x 1mm - 7,2 mm 3 x 1mm - 11,2 mm 1 x 1mm - 22,5 mm Total of 11 cables	108841	M-GD 50-11 FDA	M50	Ø50.5mm	1-4mm

M-GD 50-12 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 10 x 1mm - 9,2 mm 2 x 1mm - 11,2 mm Total of 12 cables	108842	M-GD 50-12 FDA	M50	Ø50.5mm	1-4mm

IP65
EN 60529



RoHS
Compliant





Cable Entry Plates **M-GD**

M-GD 50-16 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 4 x 1mm - 5,3 mm 5 x 1mm - 6,3 mm 3 x 1mm - 9,5 mm 4 x 1mm - 11,3 mm Total of 16 cables	108843	M-GD 50-16 FDA	M50	Ø50.5mm	1-4mm

M-GD 50-18 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 2 x 1mm - 4 mm 2 x 1mm - 6 mm 4 x 1mm - 7,2 mm 5 x 1mm - 9.4 mm 5 x 1mm - 12 mm Total of 18 cables	108844	M-GD 50-18 FDA	M50	Ø50.5mm	1-4mm


M-GD 50-20 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 16 x 1mm - 6,3mm 4 x 1mm - 9,3mm Total of 20 cables	108845	M-GD 50-20 FDA	M50	Ø50.5mm	1-4mm



Cable Entry Plates **M-GD**

M-GD 50-35 FDA	Art. No.	Description	Cut-out	Cut-out Ø	Plate thickness
 Material: TPE FDA and (EU) 10/2011 compliant Colour: Blue Dimensions: 62.2 x 13mm Degree of protection: IP65 Installation range (Ø): 35 x 1mm - 5,2 mm Total of 35 cables	108846	M-GD 50-35 FDA	M50	Ø50.5mm	1-4mm

Product Configurator



CABLE ENTRY SOLUTIONS PRODUCT SELECTION MADE EASY WITH OUR SMART CONFIGURATOR.

With over 1,000 potential configurations it is the solution that offers maximum flexibility in electrical design, installation and service. You can create your own system depending on your requirements for number of cables and diameters, replace grommets later on if needed and use pre-assembled cables with connectors.



Create your own configuration
Scan QR code



Trelleborg Antivibration Solutions (AVS) - Leading the Frontier of Innovation in Noise and Vibration Control. With our advanced polymer technology and expertise in rubber-to-metal bonding, we're pioneers in combating noise and vibration. As part of Trelleborg Group's Industrial Solutions, we bring over a century of excellence to various sectors like rail, marine, and industrial. Our focus is on crafting isolation, attenuation, and suspension solutions that redefine quality and reliability. Our new value proposition, "The Frontline of Innovation," signifies our commitment to pushing polymer technology's limits. We enhance comfort, safety, and efficiency while extending product life and optimizing costs. Join us at Trelleborg AVS for innovation-driven excellence.



Website



Linked In



**TRELLEBORG INDUSTRIAL
PRODUCTS FINLAND OY**
KIKKERLÄNTIE 72
38300 SASTAMALA
FINLAND



**TRELLEBORG INDUSTRIAL AVS
INDIA PVT LTD**
RAJDHANI INDUSTRIAL PARK,
PLOT 285, KIADB AVVERHALLI
INDUSTRIAL AREA
562 2111 BANGALORE
INDIA



**TRELLEBORG AVS
(SUZHOU) CO., LTD**
BUILDING P, PHASE III PLAINVIM
INTERNATIONAL SUXIANG SCIENCE
INDUSTRIAL PARK, CHUNXING ROAD 46,
XIANGCHENG DISTRICT
215000 SUZHOU
CHINA

<https://www.trelleborg.com/en/cable-entry-solutions>
e-mail: ces@trelleborg.com